## 7. Service Specification

Route: 425 QC41601

This Service Specification forms section 7 of the ITT and should be read in conjunction with the ITT document, Version 1 dated 29 September 2011.

You are formally invited to tender for the provision of the bus service detailed below and in accordance with this Service Specification. Tenderers must ensure that a Compliant Tender is submitted and this will only be considered for evaluation if all parts of the Tender documents, as set out in section 11, have been received by the Corporation by the Date of Tender. The Tender must be fully completed in the required format, in accordance with the Instructions to Tenderers. A Compliant Tender must comply fully with the requirements of the Framework Agreement; adhere to the requirements of the Service Specification; and reflect the price of operating the Services with new vehicles.

| Terminus Points                 | Stratford Bus Station to Clapton                  |
|---------------------------------|---|
| Contract Basis                  | Incentivised                                      |
| <b>Commencement Date</b>        | 6 <sup>th</sup> July 2013                         |
| Vehicle Type                    | 87 capacity, dual door, double deck buses         |
| <b>Current Maximum Approved</b> | 10.8 metres long and 2.55 metres wide             |
| Dimensions                      |   |
| New Vehicles Mandatory          | No  |
| Hybrid Price Required           | No  |
| Sponsored Route                 | No  |
| Minimum Performance Standard    | Average Excess Wait Time - No more than 1.10      |
|                                 | minutes   |
| Extension Threshold             | Average Excess Wait Time Threshold - 0.95 minutes |
| Advertising Rights              | Operator  |
| Minimum Operated Mileage        | No less than 98.00%                               |
| Standard                        |   |

The Date of Tender for this ITT is: No later than 12 Noon on Monday 2<sup>nd</sup> July 2012

Tenderers should refer to section 3 of Part A for the Service Specification Explanatory Notes and Appendix B of section 5 for the Example Service Specification of the ITT document.

## **SERVICE SPECIFICATION**

- 1) SERVICE SPEC ROUTE SPECIFICATION INFORMATION
- 2) NOTES
- 3) SCHEDULE REQUIREMENTS & PINCHPOINTS
- 4) OPERATIONAL CONSIDERATIONS
- 5) ROUTE RECORD, CURRENT PERFORMANCE, QSI BY TIME OF DAY, IBUS MILEAGE & QSI POINTS

#### 2) NOTES

## **Proposed Changes:**

At this time, the Corporation expects to implement a change to the existing service prior to the commencement of the new Route Agreement for Route No. 425.

• From 2<sup>nd</sup> June 2012, the stand at Clapton will change. Buses will stand at Nightingale Road not Kenninghall Road. Buses will set down in Kenninghall Road and pick up in Nightingale Road.

Tenderers should note that the following alterations (subject to consultation) are proposed as part of this Service Specification for introduction with the new Route Agreement:

- The Boxing Day service should match the Sunday service.
- Tenderers must identify the cost of the Boxing Day element of this service separately.

#### 3) SCHEDULE REQUIREMENTS & PINCHPOINTS

## 3.1) MONDAY TO FRIDAY SCHEDULE REQUIREMENTS & PINCHPOINTS

| Stratford Bus S    | Station to Clapt | on,        | Clapton, Nighti                      | ngale Road to    | Stratford  |  |  |
|--------------------|------------------|------------|--------------------------------------|------------------|------------|--|--|
| Kenninghall Ro     | oad              |            | Bus Station                          | _                |            |  |  |
| First departure    | no later than 0  | )435.      | First departure                      | no later than 0  | 420.       |  |  |
| 0430 - 0535        | Every 20 mini    | utes       | 0415 - 0520                          | Every 20 minutes |            |  |  |
| 0536 - 0650        | Every 15 minu    | utes       | 0521 - 0635                          | Every 15 minutes |            |  |  |
| 0651 - 1920        | Every 12 minu    | utes       | 0636 - 1925                          | Every 12 minutes |            |  |  |
| 1921 - 2005        | Every 15 mini    | utes       | 1926 - 2010                          | Every 15 minutes |            |  |  |
| 2006 - 0030        | Every 20 mini    | utes       | 2011 - 0015                          | Every 20 minu    | utes       |  |  |
| Last departure     | no earlier than  | 0025.      | Last departure no earlier than 0010. |                  |            |  |  |
| <b>Pinchpoints</b> |                  |            |                                      |                  |            |  |  |
| Lauriston          | 0710 - 0910      | 12 minutes | Mile End                             | 0655 - 0855      | 12 minutes |  |  |
| Road,              | 1500 - 1635      | 12 minutes | Station,                             | 1500 - 1635      | 12 minutes |  |  |
| Church             |                  |            | Grove Road                           |                  |            |  |  |
| Crescent           | escent           |            |                                      |                  |            |  |  |

## 3) SCHEDULE REQUIREMENTS & PINCHPOINTS - continued

# 3.2) SATURDAY AND GOOD FRIDAY SCHEDULE REQUIREMENTS & PINCHPOINTS

| Stratford Bus S | Station to Clapt | on,        | Clapton, Nighti                      | ngale Road to    | Stratford  |  |  |
|-----------------|------------------|------------|--------------------------------------|------------------|------------|--|--|
| Kenninghall Ro  | oad              |            | Bus Station                          |                  |            |  |  |
| First departure | no later than 0  | )435.      | First departure no later than 0420.  |                  |            |  |  |
| 0430 - 0635     | Every 20 minu    | utes       | 0415 - 0620                          | Every 20 mini    | utes       |  |  |
| 0636 - 0820     | Every 15 minu    | utes       | 0621 - 0735                          | Every 15 minutes |            |  |  |
| 0821 - 1900     | Every 12 minu    | utes       | 0736 - 1850                          | Every 12 minutes |            |  |  |
| 1901 - 1945     | Every 15 minu    | utes       | 1851 - 1950                          | Every 15 minu    | utes       |  |  |
| 1946 - 0030     | Every 20 mini    | utes       | 1951 - 0015                          | Every 20 mini    | utes       |  |  |
| Last departure  | no earlier than  | 0025.      | Last departure no earlier than 0010. |                  |            |  |  |
| Pinchpoints     |                  |            |                                      |                  |            |  |  |
| Lauriston       | 0925 - 1100      | 12 minutes | Mile End                             | 0930 - 1105      | 12 minutes |  |  |
| Road,           |                  |            | Station,                             |                  |            |  |  |
| Church          |                  |            | Grove Road                           |                  |            |  |  |
| Crescent        |                  |            |                                      |                  |            |  |  |

# 3.3) SUNDAY AND PUBLIC HOLIDAY SCHEDULE REQUIREMENTS & PINCHPOINTS

| Stratford Bus S                      | Station to Clapt | on,        | Clapton, Nightii                     | ngale Road to    | Stratford  |  |  |
|--------------------------------------|------------------|------------|--------------------------------------|------------------|------------|--|--|
| Kenninghall Ro                       | oad              |            | Bus Station                          |                  |            |  |  |
| First departure                      | no later than 0  | )535.      | First departure no later than 0520.  |                  |            |  |  |
| 0530 - 0835                          | Every 20 minu    | utes       | 0515 - 0820                          | Every 20 minutes |            |  |  |
| 0836 - 1845                          | Every 15 minu    | utes       | 0821 - 1930                          | Every 15 minutes |            |  |  |
| 1846 - 0030                          | Every 20 mini    | utes       | 1931 - 0015                          | Every 20 minutes |            |  |  |
| Last departure no earlier than 0025. |                  |            | Last departure no earlier than 0010. |                  |            |  |  |
| <b>Pinchpoints</b>                   |                  |            |                                      |                  |            |  |  |
| Lauriston                            | 1020 - 1150      | 15 minutes | Mile End                             | 1025 - 1155      | 15 minutes |  |  |
| Road,                                |                  |            | Station,                             |                  |            |  |  |
| Church                               | Church           |            |                                      |                  |            |  |  |
| Crescent                             |                  |            |                                      |                  |            |  |  |

Tenderers must identify the cost of the Boxing Day element of this service separately.

## 4) OPERATIONAL CONSIDERATIONS

- 4.1) Route No. 425 should be separated from Route No. 277 between Lauriston Road, Church Crescent and Mile End Station Grove Road during all periods, where possible.
- 4.2) Route No. 425 can suffer unpredictable traffic delays in the Stratford, Bow and Mile End areas.
- 4.3) Crossrail will connect the City, Canary Wharf, the West End and Heathrow Airport to commuter areas east and west of the capital. Major construction of the railway began in 2010, with services expected to commence in 2018. The construction impacts of Crossrail could affect Route No. 425 and it is anticipated that some passenger demand for Route No. 425 may shift to this line when it opens. Route No. 425 will be reviewed closer to the opening date.
- 4.4) Large scale development has begun to come on-line on Stratford High Street and more is planned including the redevelopment of the Sugar House Island.
- 4.5) Immediately following 2012, a number of buildings will be converted for legacy uses. The Olympic Village will become housing, the Press Centre converted for other employment uses and some venues retained for public use.
- 4.6) Beyond this, further significant development is expected in the Olympic Park site after 2014. This will be more clearly defined through a Masterplan.
- 5) ROUTE RECORD, CURRENT PERFORMANCE, QSI BY TIME OF DAY, IBUS MILEAGE & QSI POINTS
- 5.1) ROUTE RECORD
  As per Busnet Printout.
- 5.2) CURRENT PERFORMANCE As per current print out.
- 5.3) QSI BY TIME OF DAY As per current print out.
- 5.4) IBUS MILEAGE & QSI POINTS As per current print out.

## **LONDON BUSES - ROUTE DESCRIPTION**

**ROUTE 425: Stratford, Bus Station - Clapton, Kenninghall Road** 

**Date of Structural Change:** 6 July 2013. **Date of Service Change:** 6 July 2013.

Reason for Issue: New contract, not yet awarded (currently operated by Docklands

Buses).

## STREETS TRAVERSED

<u>Towards Clapton, Kenninghall Road:</u> Great Eastern Road, The Grove, Stratford Broadway, Stratford High Street, Bow Interchange, Bow Road, Mile End Road, Grove Road, Lauriston Road, Terrace Road, Well Street, Morning Lane, Ponsford Street, Homerton High Street, Brooksby's Walk, Homerton Grove, Wardle Street, Homerton High Street, Urswick Road, Lower Clapton Road, Kenninghall Road Roundabout, Kenninghall Road.

Towards Stratford, Bus Station: Nightingale Road, Brooke Road, Upper Clapton Road, Kenninghall Road Roundabout, Lower Clapton Road, Urswick Road, Homerton High Street, Fenn Street, Homerton Row, Homerton Grove, Wardle Street, Homerton High Street, Ponsford Street, Morning Lane, Kenton Road, Queen Anne Road, Valentine Road, Well Street, Cassland Road, Terrace Road, Church Crescent, Lauriston Road, Grove Road, Mile End Road, Bow Road, Bow Interchange, Stratford High Street, Great Eastern Road, Station Street.

## **AUTHORISED STANDS, CURTAILMENT POINTS, & BLIND DESCRIPTIONS**

Please note that only stands, curtailment points, & blind descriptions as detailed in this contractual document may be used.

## STRATFORD BUS STATION, EAST SIDE

Private stand for 5 buses facing south on east side of Stratford Bus Station on west side of Great Eastern Road.

Buses proceed from Station Street via Stratford Bus Station to stand, departing via Stratford Bus Station to Great Eastern Road. Set down in Station Street, at Alighting Point (BP5307 - Stratford Bus Station <> # [dlr], Last Stop on LOR: BP5307 - Stratford Bus Station <> # [dlr]) and pick up in Great Eastern Road, at stop C (BP974 - Stratford Bus Station <> #[dlr], First Stop on LOR: BP974 - Stratford Bus Station <> #[dlr]).

AVAILABILITY: At any time.

OPERATING RESTRICTIONS: No more than 2 buses on Route 425 should be scheduled

to stand at any one time.

MEAL RELIEFS: No meal relief vehicles to stand at any time. FERRY VEHICLES: No ferry vehicles to park on stand at any time.

BLIND DISPLAY: Stratford.

OTHER INFORMATION: Council toilet facilities available 24 hours a day.

## **BOW CHURCH, SOUTH SIDE (from CLAPTON, KENNINGHALL ROAD)**

Public stand for two buses on south side of Bow Road opposite Bow Chuch, at Stop L. Buses proceed from Bow Road via Bow Interchange and Bow Road to stand, departing to Bow Road. Set down in Bow Road, at stop M (348 - Bow Flyover, Last Stop on LOR: 348 - Bow Flyover) and pick up in Bow Road, at stop K (29981 - Bow Church, First Stop on LOR: 29981 - Bow Church).

AVAILABILITY: At any time.

OPERATING RESTRICTIONS: Unscheduled curtailments only

MEAL RELIEFS: No meal relief vehicles to stand at any time. FERRY VEHICLES: No ferry vehicles to park on stand at any time.

BLIND DISPLAY: Bow Church.

#### MILE END STATION, GROVE ROAD

Private stand for six buses in bus station on west side of Grove Road, commencing 55 metres north of Mile End Road and extending 30 metres on offside and 30 metres on nearside.

## From Clapton, Kenninghall Road.

Buses proceed from Grove Road via Mile End Bus Station to stand, departing via Mile End Bus Station to Grove Road. Set down in Grove Road, at Stop H (1422 - Mile End Station <>/ Bow Road, Last Stop on LOR: 1422 - Mile End Station <>/ Bow Road) and pick up in Grove Road (14483 - Lichfield Road).

#### From Stratford, Bus Station.

Buses proceed from Grove Road via Mile End Bus Station to stand, departing via Mile End Bus Station and Grove Road to Mile End Road. Set down in Mile End Bus Station, at Stop J (BP977 - Mile End Station <>>, Last Stop on LOR: BP5189 - Mile End Station <>>) and pick up in Grove Road, at Stop H (1422 - Mile End Station <>>/ Bow Road, First Stop on LOR: 20674 - Mile End Station <>>).

AVAILABILITY: At any time.

OPERATING RESTRICTIONS: Unscheduled curtailments only

MEAL RELIEFS:

No meal relief vehicles to stand at any time.

FERRY VEHICLES:

No ferry vehicles to park on stand at any time.

BLIND DISPLAY: Mile End.

#### HACKNEY, CHURCH CRESCENT

Public off side stand for one bus on west side of Church Crescent commencing 11 metres north of lamp standard Z2 extending13 metres north.

#### From Clapton, Kenninghall Road.

Buses proceed from Church Crescent direct to stand, departing via Church Crescent to Lauriston Road. Set down in Church Crescent, at Stop V (BP4167 - Church Crescent, Last Stop on LOR: BP4167 - Church Crescent) and pick up in Lauriston Road, at Stop Q (14470 - Moulins Road, First Stop on LOR: 14470 - Moulins Road).

### From Stratford, Bus Station.

Buses proceed from Lauriston Road via Church Crescent to stand, departing via Church Crescent to Lauriston Road. Set down in Lauriston Road, at Stop Q (14470 - Moulins Road, Last Stop on LOR: 14470 - Moulins Road) and pick up in Lauriston Road, at Stop W (14474 - Lauriston Road, First Stop on LOR: 14474 - Lauriston Road).

AVAILABILITY: At any time.

OPERATING RESTRICTIONS: Unscheduled curtailments only

MEAL RELIEFS: No meal relief vehicles to stand at any time. FERRY VEHICLES: No ferry vehicles to park on stand at any time.

BLIND DISPLAY: Hackney, Lauriston Road.

#### **HOMERTON HOSPITAL**

#### From Clapton, Kenninghall Road.

Buses proceed from Homerton Grove via Wardle Street departing to Homerton High Street. Set down in Homerton Grove, at Stop E (BP2162 - Homerton Hospital / Wardle Street, Last Stop on LOR: BP2162 - Homerton Hospital / Wardle Street) and pick up in Homerton High Street, at Stop A (18012 - Banister House, First Stop on LOR: 18012 - Banister House).

#### From Stratford, Bus Station.

Buses proceed from Brooksby's Walk via Homerton Grove, Wardle Street and Homerton High Street departing to Fenn Street. Set down in Brooksby's Walk, at Stop C (BP3801 - Brooksby's Walk / Homerton Station #, Last Stop on LOR: 18012 - Banister House) and pick up in Fenn Street, at Stop C (R0427 - Fenn Street, First Stop on LOR: R0427 - Fenn Street).

AVAILABILITY: At any time.

OPERATING RESTRICTIONS: Turning Point Only - Buses must not stand

BLIND DISPLAY: Homerton Hospital.

#### **CLAPTON POND, LOWER CLAPTON ROAD (from Stratford, Bus Station)**

Public stand for one bus on west side of Lower Clapton Road, commencing 20 metres south of the roundabout at Kenninghall Road and extending 10 metres south. Buses proceed from Lower Clapton Road direct to stand, departing via Lower Clapton Road and Kenninghall Road Roundabout to Lower Clapton Road. Set down in Lower Clapton Road, at stop M (20972 - Lea Bridge Roundabout, Last Stop on LOR: 20972 - Lea Bridge Roundabout) and pick up in Lower Clapton Road, at stop E (1011 - Clapton Pond, First Stop on LOR: 1011 - Clapton Pond).

AVAILABILITY: Available from 19:00 until 07:00 only. Buses on Route

425 must not use this stand outside these times.

OPERATING RESTRICTIONS: Unscheduled curtailments only.

MEAL RELIEFS: No meal relief vehicles to stand at any time. FERRY VEHICLES: No ferry vehicles to park on stand at any time.

BLIND DISPLAY: Clapton Pond.

OTHER INFORMATION: To be used before 0700 and after 1900 Mondays to

Saturdays and at any time on Sundays.

#### **CLAPTON, NIGHTINGALE ROAD**

Public stand for 1 bus on west side of Nightingale Road commencing approximately 15 metres south of lamp standard No. 3 and extending 15 metres south.

Buses proceed from Kenninghall Road via Nightingale Road to stand, departing to Nightingale Road. Set down in Kenninghall Road, at Alighting Point (BP4170 - Kenninghall Road, Last Stop on LOR: BP4170 - Kenninghall Road) and pick up in Nightingale Road, at Stop N (FL012 - Nightingale Road, First Stop on LOR: FL012 - Nightingale Road).

AVAILABILITY: At any time.


OPERATING RESTRICTIONS: No more than 2 buses on Route 425 should be scheduled

to stand at any one time.


MEAL RELIEFS: No meal relief vehicles to stand at any time. FERRY VEHICLES: No ferry vehicles to park on stand at any time.


BLIND DISPLAY: Clapton, Nightingale Road.

# PART B - PERFORMANCE STATISTICS Route 425



| Period       | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | 11    | 12    | 13    |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 2011/2012    | 94.66 | 94.84 | 95.79 | 96.92 | 95.91 | 97.51 | 95.56 | 95.83 | 94.70 | 95.29 | 97.70 | 95.42 | 94.48 |
| Min Standard | 98.00 | 98.00 | 98.00 | 98.00 | 98.00 | 98.00 | 98.00 | 98.00 | 98.00 | 98.00 | 98.00 | 98.00 | 98.00 |





3.94

2.11

2.66

3.67

4.14

4.79

4.47

2.11

4.24

5.18

Note: Mileage is based on 4 weeks data

4.81


4.80

3.86


2011/2012

## PART B - PERFORMANCE STATISTICS

#### Route 425



| Period       | 1    | 2    | 3    | 4    | 5    | 6    | 7    | 8    | 9    | 10   | 11   | 12   | 13   |
|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 2011-2012    | 1.42 | 1.42 | 1.23 | 1.18 | 1.07 | 0.73 | 1.37 | 1.18 | 1.32 | 1.29 | 0.87 | 1.23 | 1.41 |
| Min Standard | 1.10 | 1.10 | 1.10 | 1.10 | 1.10 | 1.10 | 1.10 | 1.10 | 1.10 | 1.10 | 1.10 | 1.10 | 1.10 |



| Period    | 1    | 2    | 3    | 4    | 5    | 6    | 7    | 8    | 9    | 10   | 11   | 12   | 13   |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 2011-2012 | 1.95 | 1.97 | 1.43 | 1.85 | 1.31 | 0.87 | 2.19 | 1.54 | 1.87 | 2.08 | 0.96 | 1.81 | 2.10 |
| Benchmark | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 |

Note: Reliability is actual performance under full iBus (4 weeks data).

Minimum Standards and Benchmarks are those applicable under the new contract.

## ROUTE 425 - FULL IBUS RESULTS BY TIME OF DAY QUARTERS 1 to 4 2011/12 (01/04/11 - 31/03/12)

#### MONDAY - FRIDAY

|             |          |            |              | Excess     |              | Probability | Probability | Probability | Probability |           |         |
|-------------|----------|------------|--------------|------------|--------------|-------------|-------------|-------------|-------------|-----------|---------|
|             |          |            | Scheduled    | Waiting    | Actual       | of Waiting  | of Waiting  | of Waiting  | of Waiting  |           | Maximum |
|             | Expected |            | Waiting Time | Time (EWT) | Waiting Time | < 10 mins   | 10-20 mins  | 20-30 mins  | > 30 mins   | Long Gaps | Gap     |
| Time Period | Buses    | On AVL (%) | (SWT) (mins) | (mins)     | (AWT) (mins) | (%)         | (%)         | (%)         | (%)         | (%)       | (mins)  |
| 0500 - 0700 | 21,369.  | 97.9       | 8.12         | 0.47       | 8.59         | 63.5        | 34.5        | 1.8         | 0.2         | 0.1       | 68.8    |
| 0700 - 1000 | 46,747.  | 97.1       | 6.04         | 0.65       | 6.69         | 77.4        | 21.3        | 1.1         | 0.2         | 0.5       | 63.4    |
| 1000 - 1300 | 46,055.  | 98.1       | 6.00         | 0.69       | 6.70         | 77.4        | 21.3        | 1.1         | 0.2         | 0.5       | 57.0    |
| 1300 - 1600 | 46,049.  | 95.7       | 5.97         | 1.01       | 6.98         | 74.4        | 22.9        | 2.2         | 0.6         | 1.4       | 70.0    |
| 1600 - 1900 | 46,258.  | 90.1       | 5.92         | 2.13       | 8.05         | 68.5        | 25.3        | 4.5         | 1.8         | 3.8       | 73.6    |
| 1900 - 2200 | 33,042.  | 97.5       | 7.80         | 1.42       | 9.22         | 58.1        | 33.6        | 6.1         | 2.2         | 2.3       | 88.3    |
| 2200 - 2400 | 17,342.  | 98.0       | 9.93         | 0.88       | 10.80        | 49.5        | 42.3        | 6.5         | 1.7         | 0.5       | 91.3    |
| Summary     | 256,862. | 95.9       | 6.41         | 1.18       | 7.59         | 70.8        | 25.3        | 3.0         | 0.9         | 1.7       | 91.3    |

#### SATURDAY

|             | Expected |            | Scheduled<br>Waiting Time | Excess<br>Waiting<br>Time (EWT) | Actual<br>Waiting Time | Probability<br>of Waiting<br>< 10 mins | Probability<br>of Waiting<br>10-20 mins | Probability<br>of Waiting<br>20-30 mins | Probability<br>of Waiting<br>> 30 mins | Long Gaps | Maximum<br>Gap |
|-------------|----------|------------|---------------------------|---------------------------------|------------------------|--|---|---|--|-----------|----------------|
| Time Period | Buses    | On AVL (%) | (SWT) (mins)              | (mins)                          | (AWT) (mins)           | (%)                                    | (%)                                     | (%)                                     | > 30 mins<br>(%)                       | (%)       | (mins)         |
| 0500 - 0700 | 3,475.   | 98.5       | 9.66                      | 0.43                            | 10.09                  | 53.4                                   | 42.4                                    | 4.0                                     | 0.2                                    | 0.1       | 59.3           |
| 0700 - 1000 | 8,907.   | 97.4       | 6.51                      | 0.46                            | 6.97                   | 75.5                                   | 23.5                                    | 0.9                                     | 0.1                                    | 0.3       | 56.5           |
| 1000 - 1300 | 9,709.   | 96.0       | 5.98                      | 0.99                            | 6.96                   | 75.6                                   | 22.0                                    | 1.9                                     | 0.5                                    | 1.2       | 59.3           |
| 1300 - 1600 | 9,730.   | 91.4       | 6.00                      | 1.87                            | 7.87                   | 68.7                                   | 25.8                                    | 4.3                                     | 1.2                                    | 2.9       | 67.0           |
| 1600 - 1900 | 9,489.   | 92.3       | 6.01                      | 2.11                            | 8.12                   | 67.8                                   | 25.5                                    | 4.9                                     | 1.8                                    | 3.8       | 78.0           |
| 1900 - 2200 | 6,467.   | 98.5       | 8.46                      | 1.47                            | 9.93                   | 54.0                                   | 35.8                                    | 7.7                                     | 2.5                                    | 1.7       | 67.6           |
| 2200 - 2400 | 3,450.   | 97.7       | 10.00                     | 1.07                            | 11.07                  | 48.3                                   | 40.4                                    | 8.2                                     | 3.0                                    | 1.5       | 85.4           |
| Summary     | 51,227.  | 95.3       | 6.62                      | 1.42                            | 8.04                   | 67.9                                   | 26.8                                    | 4.0                                     | 1.2                                    | 2.1       | 85.4           |

#### SUNDAY AND BANK HOLIDAYS

| Time Period | Expected<br>Buses | On AVL (%) | Scheduled<br>Waiting Time<br>(SWT) (mins) | Excess<br>Waiting<br>Time (EWT)<br>(mins) | Actual<br>Waiting Time<br>(AWT) (mins) | Probability<br>of Waiting<br>< 10 mins<br>(%) | Probability<br>of Waiting<br>10-20 mins<br>(%) | Probability<br>of Waiting<br>20-30 mins<br>(%) | Probability<br>of Waiting<br>> 30 mins<br>(%) | Long Gaps<br>(%) | Maximum<br>Gap<br>(mins) |
|-------------|-------------------|------------|---|---|--|---|--|--|---|------------------|--------------------------|
| 0500 - 0700 | 2,892.            | 98.6       | 9.96                                      | 0.30                                      | 10.27                                  | 59.6  | 35.2   | 4.4  | 0.9   | 2.3              | 45.3                     |
| 0700 - 1000 | 7,565.            | 99.2       | 8.45                                      | 0.43                                      | 8.88                                   | 60.8  | 36.4   | 2.5  | 0.3   | 0.2              | 78.3                     |
| 1000 - 1300 | 8,656.            | 97.8       | 7.45                                      | 0.55                                      | 8.00                                   | 64.6  | 33.3   | 1.9  | 0.3   | 0.3              | 60.3                     |
| 1300 - 1600 | 8,441.            | 92.5       | 7.42                                      | 1.64                                      | 9.06                                   | 59.7  | 32.6   | 6.2  | 1.5   | 1.5              | 64.8                     |
| 1600 - 1900 | 8,440.            | 95.9       | 7.42                                      | 1.95                                      | 9.38                                   | 59.9  | 31.2   | 6.6  | 2.3   | 2.3              | 78.5                     |
| 1900 - 2200 | 6,805.            | 98.8       | 9.28                                      | 1.00                                      | 10.29                                  | 51.3  | 39.0   | 7.8  | 1.9   | 0.7              | 74.9                     |
| 2200 - 2400 | 3,786.            | 98.7       | 9.96                                      | 0.86                                      | 10.82                                  | 49.4  | 42.1   | 6.7  | 1.8   | 0.5              | 79.4                     |
| Summary     | 46,585.           | 97.0       | 7.99                                      | 1.21                                      | 9.20                                   | 59.0  | 34.3   | 5.3  | 1.4   | 1.2              | 79.4                     |

#### ALL DAYS

| Time Period | Expected<br>Buses | On AVL (%) | Scheduled<br>Waiting Time<br>(SWT) (mins) | Excess<br>Waiting<br>Time (EWT)<br>(mins) | Actual<br>Waiting Time<br>(AWT) (mins) | Probability<br>of Waiting<br>< 10 mins<br>(%) | Probability<br>of Waiting<br>10-20 mins<br>(%) | Probability<br>of Waiting<br>20-30 mins<br>(%) | Probability<br>of Waiting<br>> 30 mins<br>(%) | Long Gaps<br>(%) | Maximum<br>Gap<br>(mins) |
|-------------|-------------------|------------|---|---|--|---|--|--|---|------------------|--------------------------|
| 0500 - 0700 | 27,736.           | 98.0       | 8.39                                      | 0.46                                      | 8.85                                   | 62.1  | 35.4   | 2.2  | 0.2   | 0.2              | 68.8                     |
| 0700 - 1000 | 63,219.           | 97.4       | 6.20                                      | 0.62                                      | 6.82                                   | 76.4  | 22.3   | 1.1  | 0.2   | 0.5              | 78.3                     |
| 1000 - 1300 | 64,420.           | 97.7       | 6.16                                      | 0.72                                      | 6.89                                   | 75.7  | 22.7   | 1.3  | 0.3   | 0.6              | 60.3                     |
| 1300 - 1600 | 64,220.           | 94.6       | 6.12                                      | 1.20                                      | 7.33                                   | 72.0  | 24.3   | 2.9  | 0.8   | 1.7              | 70.0                     |
| 1600 - 1900 | 64,187.           | 91.2       | 6.07                                      | 2.11                                      | 8.18                                   | 67.6  | 25.9   | 4.7  | 1.8   | 3.7              | 78.5                     |
| 1900 - 2200 | 46,314.           | 97.8       | 8.05                                      | 1.38                                      | 9.43                                   | 56.8  | 34.5   | 6.5  | 2.2   | 2.0              | 88.3                     |
| 2200 - 2400 | 24,578.           | 98.0       | 9.94                                      | 0.90                                      | 10.84                                  | 49.3  | 42.0   | 6.8  | 1.9   | 0.6              | 91.3                     |
| Summary     | 354,674.          | 96.0       | 6.59                                      | 1.21                                      | 7.80                                   | 69.4  | 26.3   | 3.3  | 1.0   | 1.7              | 91.3                     |

## **Transport for London - QSI Points and Mileage**

Route 425

 Service change
 30342

 Date
 02/06/2012

Reason for Issue

Locations shaded in blue denote QSI points under Full iBus

|              |             | OUT DIRECTION                           |        |       |
|--------------|-------------|---|--------|-------|
| Timing Point |             |   |        |       |
| Code         | Stop Number | Stop Name                               | Metres | Miles |
| STFDBS       | BP974       | Stratford Bus Station                   |        |       |
| STFDBY       | 8019        | Stratford Centre                        | 887    | 0.55  |
|              | 371         | Old Town Hall                           | 122    | 0.08  |
|              | 20760       | Carpenters Road / Stratford High St Dlr | 447    | 0.28  |
|              | 4897        | Warton Road                             | 221    | 0.14  |
|              | 2067        | Abbey Lane                              | 382    | 0.24  |
|              | 4875        | Bow Flyover                             | 430    | 0.27  |
| BOW CH       | 29981       | Bow Church                              | 411    | 0.26  |
|              | 25096       | Bow Church Station                      | 234    | 0.15  |
|              | 900         | Bow Road Station                        | 256    | 0.16  |
|              | 2059        | Coborn Road                             | 421    | 0.26  |
|              | BP5189      | Mile End Station                        | 203    | 0.13  |
| MNSNGR       | FC17        | Mile End Station / Mile End Road        | 297    | 0.18  |
|              | 14483       | Lichfield Road                          | 125    | 0.08  |
|              | 14481       | Arbery Road                             | 306    | 0.19  |
| BETHGR       | 14479       | St Barnabas Church                      | 174    | 0.11  |
|              | 14477       | Old Ford Road                           | 215    | 0.13  |
|              | BP940       | Victoria Park                           | 256    | 0.16  |
|              | 14473       | Victoria Park Road                      | 380    | 0.24  |
| LAURCC       | 14470       | Moulins Road                            | 376    | 0.23  |
|              | BP5181      | Well Street                             | 390    | 0.24  |
|              | BP2635      | Morning Lane / Retreat Place            | 337    | 0.21  |
|              | BP5179      | Homerton High Street                    | 363    | 0.23  |
|              | BP3801      | Brooksby's Walk / Homerton Station      | 403    | 0.25  |
| HMTHHG       | BP1818      | Homerton Hospital                       | 154    | 0.10  |
|              | 18012       | Banister House                          | 326    | 0.20  |
|              | 18010       | The City Academy                        | 285    | 0.18  |
|              | 934         | Jack Dunning Estate                     | 260    | 0.16  |
|              | 930         | Glenarm Road                            | 201    | 0.12  |
|              | 2268        | Clapton Girls' Technology College       | 226    | 0.14  |
|              | 64          | Clapton Pond                            | 240    | 0.15  |
|              | 20972       | Lea Bridge Roundabout                   | 223    | 0.14  |
| CLTNKN       | BP4170      | Kenninghall Road                        | 305    | 0.19  |

| TOTAL ROUTE MILEAGE - OUT DIRECTION  | 9856   | 6.12  |
|--------------------------------------|--------|-------|
| TOTAL ROOTE WILLIAGE - GOT DIRECTION | metres | miles |

## **Revised Standing Arrangements**

|              |                 | BACK DIRECTION                    |        |       |
|--------------|-----------------|-----------------------------------|--------|-------|
| Timing Point |                 | 5,10,15,110,10,1                  |        |       |
| Code         | Stop Number     | Stop Name                         | Metres | Miles |
| CLTNNR       | FL012           | Nightingale Road                  |        |       |
|              | 194             | Lea Bridge Roundabout             | 411    | 0.26  |
|              | 1011            | Clapton Pond                      | 321    | 0.20  |
|              | 29245           | Millfields Road                   | 203    | 0.13  |
|              | 2269            | Clapton Girls' Technology College | 236    | 0.15  |
|              | 933             | Jack Dunning Estate               | 379    | 0.24  |
|              | 18011           | The City Academy                  | 107    | 0.07  |
|              | R0427           | Fenn Street                       | 343    | 0.21  |
|              | FL005           | Homerton Hospital / Homerton Row  | 131    | 0.08  |
| HMTHHG       | BP2162          | Homerton Hospital / Wardle Street | 184    | 0.11  |
|              | BP5180          | Homerton High Street              | 419    | 0.26  |
|              | 35953           | Ponsford Street                   | 268    | 0.17  |
|              | 29782           | Valentine Road                    | 435    | 0.27  |
|              | BP3699          | Terrace Road                      | 428    | 0.27  |
|              | BP4167          | Church Crescent                   | 153    | 0.10  |
| LAURCC       | 14474           | Lauriston Road                    | 187    | 0.12  |
|              | 14476           | Victoria Park Road                | 295    | 0.18  |
|              | 14478           | Victoria Park                     | 431    | 0.27  |
|              | 2955            | Roman Road                        | 281    | 0.17  |
| BETHGR       | 18213           | St Barnabas Church                | 165    | 0.10  |
|              | 14482           | Arbery Road                       | 206    | 0.13  |
|              | 14484           | Lichfield Road                    | 209    | 0.13  |
| MNSNGR       | 1422            | Mile End Station / Bow Road       | 167    | 0.10  |
|              | 20674           | Mile End Station                  | 149    | 0.09  |
|              | 2058            | Coborn Road                       | 336    | 0.21  |
|              | 901             | Bow Road Station                  | 247    | 0.15  |
|              | 902             | Bow Church Station                | 382    | 0.24  |
| BOW CH       | R0717           | Bow Church                        | 272    | 0.17  |
|              | 348             | Bow Flyover                       | 130    | 0.08  |
|              | 2066            | Marshgate Lane                    | 376    | 0.23  |
|              | 2068            | Warton Road                       | 493    | 0.31  |
|              | 2070            | Stratford High St / Carpenters Rd | 356    | 0.22  |
| STFDBS       | BP5307          | Stratford Bus Station             | 552    | 0.34  |
|              |                 |                                   |        |       |
|              | TOTAL ROUTE MIL | EAGE - BACK DIRECTION             | 9252   | 5.74  |
|              |                 |                                   | metres | miles |